Emergency Response Centre

Paryawaran Parisar, E-5, Arera Colony, Bhopal -462 016 (M.P.) Ph : 0755-2469180, PBX : 2464428, Fax : 0755-2463742 E-mail : ercmppcb@mp.nic.in Web : www.ercmp.nic.in

No. 2 /HOPCB/ERC/2017

Bhopal, Dt: 13 / 64 /2017

Priority Matter

To,

The Occupier of the Industry M/s Agrawal Distilleries (P) Limited Tehsil Barwaha, Dist. Khargone PIN – 451115 (M.P.)

Sub: Notice for Non Compliance of Real-time Monitoring Provisions – reg.

It has been brought to my notice that despite repetitive reminders your industry has not complied with the provision of real-time monitoring facility till date nor you have provided credentials to access the real-time monitoring data of your industry. This is an act of non-compliance and this office has taken a strong note on it.

You are again requested to take immediate appropriate steps for necessary compliance and submit clarification with factual status in support of your stand as why action should not be initiated against your industry for defying the directions.

Your response should reach to this office within 07 days time from the issuance of this letter failing which MPPCB will go for legal action against the industry. <u>This be considerd as the final</u> reminder.

Yours Faithfully,

Mishra) Member Secretary

Bhopal, Dt:/

/ 2017

No. HOPCB/ERC/2017

Copy to :

- 1. Regional Officer, M.P. Pollution Control Board, Indore for early follow up action pl.
- 2. Shri H.S. Malviya, Suptt. Engineer, M.P. Pollution Control Board, Bhopal for information and necessary follow up action.

Emergency Response Centre

Paryawaran Parisar, E-5, Arera Colony, Bhopal -462 016 (M.P.) Ph : 0755-2469180, PBX : 2464428, Fax : 0755-2463742 E-mail : ercmppcb@mp.nic.in Web : www.ercmp.nic.in

No. 29 /HOPCB/ERC/2017

Bhopal, Dt:13 /04 /2017

Priority Matter

To,

The Occupier of the Industry M/s. Jaiprakash Power Vntures Ltd., Jaypee Bina Thermal Power Plant P.O. Sirchopi, Bina, Dist. Sagar – 470113 (M.P.)

Sub: Notice for Non Compliance of Real-time Monitoring Provisions - reg.

It has been brought to my notice that despite repetitive reminders your industry has not complied with the provision of real-time monitoring facility till date nor you have provided credentials to access the real-time monitoring data of industry. This is an act of non-compliance and attaracts punitive action for defying the environmental norms.

You are again requested to take immediate appropriate steps for necessary compliance and submit clarification with factual status in support of your stand as why action should not be initiated against your industry for defying the directions.

Your response should reach to this office within 10 days time from the issuance of this letter failing which punitive action may be initiated against the industry. This be considerd as the last reminder.

Yours Faithfully,

Mishra)

(A.A. Mishra) Member Secretary

No. HOPCB/ERC/2017

Bhopal, Dt:

/ 2017

Copy to :

- 1. Regional Officer, M.P. Pollution Control Board, Sagar for early follow up action please.
- 2. Shri V.K. Ahirwar, Chief Engineer / Shri H.S. Malviya, Suptt. Engineer, M.P. Pollution Control Board, Bhopal for information and necessary follow up action.

Emergency Response Centre

Paryawaran Parisar, E-5, Arera Colony, Bhopal -462 016 (M.P.) Ph : 0755-2469180, PBX : 2464428, Fax : 0755-2463742 E-mail : ercmppcb@mp.nic.in Web : www.ercmp.nic.in

No. /HOPCB/ERC/2017

To,

Bhopal, Dt: 13 / 04 /2017

Priority Matter

The Occupier of the Industry M/s Jaypee Nigrie Super Thermal Power Project (Cement Grinding Unit) Dist. Singrauli (M.P.)

Sub: Notice for Non Compliance of Real-time Monitoring Provisions - reg.

It has been brought to my notice that despite repetitive reminders your industry has not complied with the provision of real-time monitoring facility till date nor you have provided credentials to access the real-time monitoring data of industry. This is an act of non-compliance and attaracts punitive action for defying the environmental norms.

You are again requested to take immediate appropriate steps for necessary compliance and submit clarification with factual status in support of your stand as why action should not be initiated against your industry for defying the directions.

Your response should reach to this office within 10 days time from the issuance of this letter failing which punitive action may be initiated against the industry. This be considerd as the last reminder.

Yours Faithfully,

shra)

Member Secretary

Bhopal, Dt:

/ 2017

No. HOPCB/ERC/2017

Copy to :

- 1. Regional Officer, M.P. Pollution Control Board, Singrauli for early follow up action please.
- 2. Shri M.L. Patel, Suptt. Engineer / Shri H.S. Malviya, Suptt. Engineer, M.P. Pollution Control Board, Bhopal for information and necessary follow up action.

Emergency Response Centre

Paryawaran Parisar, E-5, Arera Colony, Bhopal -462 016 (M.P.) Ph : 0755-2469180, PBX : 2464428, Fax : 0755-2463742 E-mail : ercmppcb@mp.nic.in Web : www.ercmp.nic.in

No. 17 /HOPCB/ERC/2017

Bhopal, Dt: 13 / 64 /2017

Priority Matter

To,

The Occupier of the Industry M/s M.B. Power (M.P.) Limited, Tehsil Jaithari, Dist. Anuppur, PIN – 484330 (M.P.)

Sub: Notice for Non Compliance of Real-time Monitoring Provisions - reg.

It has been brought to my notice that despite repetitive reminders your industry has not complied with the provision of real-time monitoring facility till date nor you have provided credentials to access the real-time monitoring data of industry. This is an act of non-compliance and attaracts punitive action for defying the environmental norms.

You are again requested to take immediate appropriate steps for necessary compliance and submit clarification with factual status in support of your stand as why action should not be initiated against your industry for defying the directions.

Your response should reach to this office within 10 days time from the issuance of this letter failing which punitive action may be initiated against the industry. This be considerd as the last reminder.

Yours Faithfully,

. Mishra)

Member Secretary

No. HOPCB/ERC/2017

Bhopal, Dt:

/ 2017

Copy to :

- 1. Regional Officer, M.P. Pollution Control Board, Shahdol for early follow up action please.
- 2. Shri V.K. Ahirwar, Chief Engineer / Shri H.S. Malviya, Suptt. Engineer, M.P. Pollution Control Board, Bhopal for information and necessary follow up action.

Emergency Response Centre

Paryawaran Parisar, E-5, Arera Colony, Bhopal -462 016 (M.P.) Ph : 0755-2469180, PBX : 2464428, Fax : 0755-2463742 E-mail : ercmppcb@mp.nic.in Web : www.ercmp.nic.in

No. 33 /HOPCB/ERC/2017

To,

Bhopal, Dt: 3 / 4 /2017

Priority Matter

The Occupier of the Industry M/s Jhabua Power Limited, Village Barela, Tehsil Ghansore, Dist- Seoni (M.P.)

Sub: Notice for Non Compliance of Real-time Monitoring Provisions – reg.

It has been brought to my notice that despite repetitive reminders your industry has not complied with the provision of real-time monitoring facility till date nor you have provided credentials to access the real-time monitoring data of industry. This is an act of non-compliance and attaracts punitive action for defying the environmental norms.

You are again requested to take immediate appropriate steps for necessary compliance and submit clarification with factual status in support of your stand as why action should not be initiated against your industry for defying the directions.

Your response should reach to this office within 10 days time from the issuance of this letter failing which punitive action may be initiated against the industry. This be considerd as the last reminder.

Yours Faithfully,

Mishra) Member Secretary

/ 2017

Bhopal, I

No. HOPCB/ERC/2017

Copy to :

- 1. Regional Officer, M.P. Pollution Control Board, Jabalpur for early follow up action please.
- 2. Shri V.K. Ahirwar, Chief Engineer / Shri H.S. Malviya, Suptt. Engineer, M.P. Pollution Control Board, Bhopal for information and necessary follow up action.

Emergency Response Centre

Paryawaran Parisar, E-5, Arera Colony, Bhopal -462 016 (M.P.) Ph : 0755-2469180, PBX : 2464428, Fax : 0755-2463742 E-mail : ercmppcb@mp.nic.in Web : www.ercmp.nic.in

No. 35 /HOPCB/ERC/2017

Bhopal, Dt: 3 /01 /2017

Priority Matter

To,

The Occupier of the Industry M/s. BLA Power (P) Ltd., Vill. Niwari, P.O. Khursipar, Gadarwara, Dist. Narsinghpur - 487661 (M.P.)

Sub: Notice for Non Compliance of Real-time Monitoring Provisions – reg.

It has been brought to my notice that despite repetitive reminders your industry has not complied with the provision of real-time monitoring facility till date nor you have provided credentials to access the real-time monitoring data of industry. This is an act of non-compliance and attaracts punitive action for defying the environmental norms.

You are again requested to take immediate appropriate steps for necessary compliance and submit clarification with factual status in support of your stand as why action should not be initiated against your industry for defying the directions.

Your response should reach to this office within 10 days time from the issuance of this letter failing which punitive action may be initiated against the industry. This be considerd as the last reminder.

Yours Faithfully,

Mishra) **Member Secretary**

No. HOPCB/ERC/2017

Bhopal, Dt

/ 2017

Copy to :

- 1. Regional Officer, M.P. Pollution Control Board, Jabalpur for early follow up action please.
- 2. Shri V.K. Ahirwar, Chief Engineer / Shri H.S. Malviya, Suptt. Engineer, M.P. Pollution Control Board, Bhopal for information and necessary follow up action.

Emergency Response Centre

Paryawaran Parisar, E-5, Arera Colony, Bhopal -462 016 (M.P.) Ph : 0755-2469180, PBX : 2464428, Fax : 0755-2463742 E-mail : ercmppcb@mp.nic.in Web : www.ercmp.nic.in

No. 2 3 /HOPCB/ERC/2017

To.

Bhopal, Dt: 13 / 84 /2017

Priority Matter

The Occupier of the Industry M/s Trent Chemical Industry, Plot No. 184, AKVN Industrial Area, Meghnagar, Dist. Jhabua (M.P.)

Sub: Notice for Non Compliance of Real-time Monitoring Provisions – reg.

It has been brought to my notice that despite repetitive reminders your industry has not complied with the provision of real-time monitoring facility till date nor you have provided credentials to access the real-time monitoring data of industry. This is an act of non-compliance and attaracts punitive action for defying the environmental norms.

You are again requested to take immediate appropriate steps for necessary compliance and submit clarification with factual status in support of your stand as why action should not be initiated against your industry for defying the directions.

Your response should reach to this office within 10 days time from the issuance of this letter failing which punitive action may be initiated against the industry. This be considerd as the last reminder.

Yours Faithfully,

(A.A. Mishra)

Member Secretary

Bhopal, Dt:

/ 2017

No. HOPCB/ERC/2017

Copy to :

- 1. Regional Officer, M.P. Pollution Control Board, Indore for early follow up action please.
- 2. Shri H.S. Malviya, Suptt. Engineer, M.P. Pollution Control Board, Bhopal for information and necessary follow up action.

Emergency Response Centre

Paryawaran Parisar, E-5, Arera Colony, Bhopal -462 016 (M.P.) Ph : 0755-2469180, PBX : 2464428, Fax : 0755-2463742 E-mail : ercmppcb@mp.nic.in Web : www.ercmp.nic.in

No. 1) /HOPCB/ERC/2017

Bhopal, Dt: 13 / 04 /2017

Priority Matter

To,

The Occupier of the Industry M/s Krishna Phoschem Limited (Unit II), Plot no-142-143, AKVN Industrial Area, Meghnagar, Dist. Jhabua (M.P.)

Sub: Notice for Non Compliance of Real-time Monitoring Provisions - reg.

It has been brought to my notice that despite repetitive reminders your industry has not complied with the provision of real-time monitoring facility till date nor you have provided credentials to access the real-time monitoring data of industry. This is an act of non-compliance and attaracts punitive action for defying the environmental norms.

You are again requested to take immediate appropriate steps for necessary compliance and submit clarification with factual status in support of your stand as why action should not be initiated against your industry for defying the directions.

Your response should reach to this office within 10 days time from the issuance of this letter failing which punitive action may be initiated against the industry. This be considerd as the last reminder.

Yours Faithfully,

ishra) Member Secretary

No. HOPCB/ERC/2017

Bhopal, Dt:

/ 2017

Copy to :

- 1. Regional Officer, M.P. Pollution Control Board, Indore for early follow up action please.
- 2. Shri H.S. Malviya, Suptt. Engineer, M.P. Pollution Control Board, Bhopal for information and necessary follow up action.

Emergency Response Centre

Paryawaran Parisar, E-5, Arera Colony, Bhopal -462 016 (M.P.) Ph : 0755-2469180, PBX : 2464428, Fax : 0755-2463742 E-mail : ercmppcb@mp.nic.in Web : www.ercmp.nic.in

No. 13 /HOPCB/ERC/2017

Bhopal, Dt: 13 / 04 /2017

Priority Matter

To,

The Occupier of the Industry M/s. Trimula Industries Ltd. Village & Post - Godwali, Teh - Devssar, Distt. Singrauli, PIN- 486892 (M.P.)

Sub: Notice for Non Compliance of Real-time Monitoring Provisions – reg.

It has been brought to my notice that despite repetitive reminders your industry has not complied with the provision of real-time monitoring facility till date nor you have provided credentials to access the real-time monitoring data of industry. This is an act of non-compliance and attaracts punitive action for defying the environmental norms.

You are again requested to take immediate appropriate steps for necessary compliance and submit clarification with factual status in support of your stand as why action should not be initiated against your industry for defying the directions.

Your response should reach to this office within 10 days time from the issuance of this letter failing which punitive action may be initiated against the industry. This be considerd as the last reminder.

Yours Faithfully,

Mishra)

Member Secretary

Bhopal, Dt:

/ 2017

No. HOPCB/ERC/2017

Copy to :

- 1. Regional Officer, M.P. Pollution Control Board, Singrauli for early follow up action please.
- 2. Shri H.S. Malviya, Suptt. Engineer, M.P. Pollution Control Board, Bhopal for information and necessary follow up action.

Emergency Response Centre

Paryawaran Parisar, E-5, Arera Colony, Bhopal -462 016 (M.P.) Ph : 0755-2469180, PBX : 2464428, Fax : 0755-2463742 E-mail : ercmppcb@mp.nic.in Web : www.ercmp.nic.in

No. Z / /HOPCB/ERC/2017

Bhopal, Dt: 13 / 04/2017

Priority Matter

To,

The Occupier of the Industry M/s. M.P. Waste Disposal System, Jawahar Chowk, Dist. Anuppur (M.P.)

Sub: Notice for Non Compliance of Real-time Monitoring Provisions - reg.

It has been brought to my notice that despite repetitive reminders your establishment has not complied with the provision of real-time monitoring facility till date nor you have provided credentials to access the real-time monitoring data of tour facility. This is an act of non-compliance and attaracts punitive action for defying the environmental norms.

You are again requested to take immediate appropriate steps for necessary compliance and submit clarification with factual status in support of your stand as why action should not be initiated against your facility for defying the directions.

Your response should reach to this office within 10 days time from the issuance of this letter failing which punitive action may be initiated against the waste management facility. This be considerd as the last reminder.

Yours Faithfully,

(A.A. Mishra) Member Secretary

Bhopal, Dt:

/ 2017

No. HOPCB/ERC/2017

Copy to :

- 1. Regional Officer, M.P. Pollution Control Board, Shahdol for early follow up action pl.
- 2. Shri Rajendra Malviya, Chief Chemist / Shri H.S. Malviya, Suptt. Engineer, M.P. Pollution Control Board, Bhopal for information and necessary follow up action.

Emergency Response Centre

Paryawaran Parisar, E-5, Arera Colony, Bhopal -462 016 (M.P.) Ph : 0755-2469180, PBX : 2464428, Fax : 0755-2463742 E-mail : ercmppcb@mp.nic.in Web : www.ercmp.nic.in

No. 37 /HOPCB/ERC/2017

Bhopal, Dt: 13 / 04 /2017

Priority Matter

To,

The Occupier of the Industry M/s Davis Surgico (J.A.Group of Hospitals) 3, Girraj Market, Lohia Bazar, Dist. Gwalior (M.P.)

Notice for Non Compliance of Real-time Monitoring Provisions - reg. Sub:

It has been brought to my notice that despite repetitive reminders your industry has not complied with the provision of real-time monitoring facility till date nor you have provided credentials to access the real-time monitoring data of industry. This is an act of non-compliance and attaracts punitive action for defying the environmental norms.

You are again requested to take immediate appropriate steps for necessary compliance and submit clarification with factual status in support of your stand as why action should not be initiated against your industry for defying the directions.

Your response should reach to this office within 10 days time from the issuance of this letter failing which punitive action may be initiated against the industry. This be considerd as the last reminder.

Yours Faithfully,

Member Secretary

Bhopal, I

/ 2017

Copy to :

No.

HOPCB/ERC/2017

- 1. Regional Officer, M.P. Pollution Control Board, Gwalior for early follow up action pl.
- 2. Shri Rajendra Malviya, Chief Chemist / Shri H.S. Malviya, Suptt. Engineer, M.P. Pollution Control Board, Bhopal for information and necessary follow up action.

Emergency Response Centre

Paryawaran Parisar, E-5, Arera Colony, Bhopal -462 016 (M.P.) Ph : 0755-2469180, PBX : 2464428, Fax : 0755-2463742 E-mail : ercmppcb@mp.nic.in Web : www.ercmp.nic.in

No. 39 /HOPCB/ERC/2017

Bhopal, Dt: 3/4 /2017

Priority Matter

To,

The Occupier of the Industry M/s M.P. Waste Management Project, Plot No.104, Industrial Area No. 2, Pithampur, Dist. Dhar - 454775 (M.P.)

Sub: Notice for Non Compliance of Real-time Monitoring Provisions – reg.

It has been brought to my notice that despite repetitive reminders your industry has not complied with the provision of real-time monitoring facility till date nor you have provided credentials to access the real-time monitoring data of industry. This is an act of non-compliance and attaracts punitive action for defying the environmental norms.

You are again requested to take immediate appropriate steps for necessary compliance and submit clarification with factual status in support of your stand as why action should not be initiated against your industry for defying the directions.

Your response should reach to this office within 10 days time from the issuance of this letter failing which punitive action may be initiated against the industry. This be considerd as the last reminder.

Yours Faithfully,

Mishra)

Member Secretary

Bhopal, Dt:

/ 2017

No. HOPCB/ERC/2017

Copy to :

- 1. Regional Officer, M.P. Pollution Control Board, Pithampur for early follow up action pl.
- 2. Shri H.S. Malviya, Suptt. Engineer, M.P. Pollution Control Board, Bhopal for information and necessary follow up action.

Emergency Response Centre

Paryawaran Parisar, E-5, Arera Colony, Bhopal -462 016 (M.P.) Ph : 0755-2469180, PBX : 2464428, Fax : 0755-2463742 E-mail : ercmppcb@mp.nic.in Web : www.ercmp.nic.in

No. 4 /HOPCB/ERC/2017

Bhopal, Dt:] 3 /04 /2017

Priority Matter

To,

The Occupier of the Industry M/s. Jawaharlal Nehru Sahakari Agricultural Produce Processing Society Ltd. (Sugar Unit) P. O. Borawan, Dist. Khargone – 451228 (M.P.)

Sub: Notice for Non Compliance of Real-time Monitoring Provisions – reg.

It has been brought to my notice that despite repetitive reminders your industry has not complied with the provision of real-time monitoring facility till date nor you have provided credentials to access the real-time monitoring data of industry. This is an act of non-compliance and attaracts punitive action for defying the environmental norms.

You are again requested to take immediate appropriate steps for necessary compliance and submit clarification with factual status in support of your stand as why action should not be initiated against your industry for defying the directions.

Your response should reach to this office within 10 days time from the issuance of this letter failing which punitive action may be initiated against the industry. This be considerd as the last reminder.

Yours Faithfully,

(A.A. Mishra) Member Secretary

Bhopal, Dt.

/ 2017

Copy to :

HOPCB/ERC/2017

No.

- 1. Regional Officer, M.P. Pollution Control Board, Indore for early follow up action please.
- 2. Shri D.K. Jain, Executive Engineer / Shri H.S. Malviya, Suptt. Engineer, M.P. Pollution Control Board, Bhopal for information and necessary follow up action.

Emergency Response Centre

Paryawaran Parisar, E-5, Arera Colony, Bhopal -462 016 (M.P.) Ph : 0755-2469180, PBX : 2464428, Fax : 0755-2463742 E-mail : ercmppcb@mp.nic.in Web : www.ercmp.nic.in

No. 7 /HOPCB/ERC/2017

Bhopal, Dt: 3 / 04 /2017

Priority Matter

To,

The Occupier of the Industry M/s. Satpuda Thermal Power Station, Sarni, Dist. Betul, PIN – 460447 (M.P.)

Sub: Notice for Non Compliance of Real-time Monitoring Provisions - reg.

It has been brought to my notice that despite repetitive reminders your industry has not complied with the provision of real-time monitoring facility till date nor you have provided credentials to access the real-time monitoring data of industry. This is an act of non-compliance and attaracts punitive action for defying the environmental norms.

You are again requested to take immediate appropriate steps for necessary compliance and submit clarification with factual status in support of your stand as why action should not be initiated against your industry for defying the directions.

Your response should reach to this office within 10 days time from the issuance of this letter failing which punitive action may be initiated against the industry. This be considerd as the last reminder.

Yours Faithfully,

(A.A. Mishra) Member Secretary

1

Bhopal, Dt:

/ 2017

HOPCB/ERC/2017

Copy to :

No.

- 1. Regional Officer, M.P. Pollution Control Board, Bhopal for early follow up action please.
- 2. Shri V.K. Ahirwar, Chief Engineer / Shri H.S. Malviya, Suptt. Engineer, M.P. Pollution Control Board, Bhopal for information and necessary follow up action.

(A.A. Mishra) Member Secretary

Emergency Response Centre

Paryawaran Parisar, E-5, Arera Colony, Bhopal -462 016 (M.P.) Ph : 0755-2469180, PBX : 2464428, Fax : 0755-2463742 E-mail : ercmppcb@mp.nic.in Web : www.ercmp.nic.in

No. 27 /HOPCB/ERC/2017

Bhopal, Dt: 3 / 0 4/2017

Priority Matter

To,

The Occupier of the Industry M/s. Nepa Paper Mills Limited, Nepanagar, Dist. Burhanpur PIN- 450221 (M.P.)

Sub: Notice for Non Compliance of Real-time Monitoring Provisions - reg.

It has been brought to my notice that despite repetitive reminders your industry has not complied with the provision of real-time monitoring facility till date nor you have provided credentials to access the real-time monitoring data of industry. This is an act of non-compliance and attaracts punitive action for defying the environmental norms.

You are again requested to take immediate appropriate steps for necessary compliance and submit clarification with factual status in support of your stand as why action should not be initiated against your industry for defying the directions.

Your response should reach to this office within 10 days time from the issuance of this letter failing which punitive action may be initiated against the industry. This be considerd as the last reminder.

Yours Faithfully,

ishra)

Member Secretary

Bhopal, Dt.

/ 2017

Copy to :

HOPCB/ERC/2017

No.

- 1. Regional Officer, M.P. Pollution Control Board, Indore for early follow up action please.
- 2. Shri V.K. Ahirwar, Chief Engineer / Shri H.S. Malviya, Suptt. Engineer, M.P. Pollution Control Board, Bhopal for information and necessary follow up action.

Emergency Response Centre

Paryawaran Parisar, E-5, Arera Colony, Bhopal -462 016 (M.P.) Ph : 0755-2469180, PBX : 2464428, Fax : 0755-2463742 E-mail : ercmppcb@mp.nic.in Web : www.ercmp.nic.in

No. 09 /HOPCB/ERC/2017

To,

Bhopal, Dt: 3 / 04 /2017

Priority Matter

The Occupier of the Industry M/s Security Paper Mill, SPM Colony, Dist. Hoshangabad PIN- 461005 (M.P.)

Sub: Notice for Non Compliance of Real-time Monitoring Provisions - reg.

It has been brought to my notice that despite repetitive reminders your industry has not complied with the provision of real-time monitoring facility till date nor you have provided credentials to access the real-time monitoring data of industry. This is an act of non-compliance and attaracts punitive action for defying the environmental norms.

You are again requested to take immediate appropriate steps for necessary compliance and submit clarification with factual status in support of your stand as why action should not be initiated against your industry for defying the directions.

Your response should reach to this office within 10 days time from the issuance of this letter failing which punitive action may be initiated against the industry. This be considerd as the last reminder.

Yours Faithfully,

A. Mishra) Member Secretary

No. HOPCB/ERC/2017

Bhopal, Dt:

/ 2017

Copy to :

- 1. Regional Officer, M.P. Pollution Control Board, Bhopal for early follow up action please.
- 2. Shri V.K. Ahirwar, Chief Engineer / Shri H.S. Malviya, Suptt. Engineer, M.P. Pollution Control Board, Bhopal for information and necessary follow up action.

Emergency Response Centre Paryawaran Parisar, E-5, Arera Colony, Bhopal -462 016 (M.P.) Ph : 0755-2469180, PBX : 2464428, Fax : 0755-2463742 E-mail : ercmppcb@mp.nic.in Web : www.ercmp.nic.in

No. | /HOPCB/ERC/2017

Bhopal, Dt: 13 / 64 /2017

Priority Matter

To,

The Occupier of the Industry The Govindpura Audhyogik Kshetra Pradushan Nivaran Kendra (CETP), Plot No. 28, Sector-H, Industrial Area, Govindpura, Bhopal - 462023 (M.P.)

Sub: Notice for Non Compliance of Real-time Monitoring Provisions - reg.

It has been brought to my notice that despite repetitive reminders your industry has not complied with the provision of real-time monitoring facility till date nor you have provided credentials to access the real-time monitoring data of industry. This is an act of non-compliance and attaracts punitive action for defying the environmental norms.

You are again requested to take immediate appropriate steps for necessary compliance and submit clarification with factual status in support of your stand as why action should not be initiated against your industry for defying the directions.

Your response should reach to this office within 10 days time from the issuance of this letter failing which punitive action may be initiated against the industry. This be considerd as the last reminder.

Yours Faithfully,

A. Mishra) Member Secretary

No. HOPCB/ERC/2017

Bhopal, Dt:

/ 2017

Copy to :

- 1. Regional Officer, M.P. Pollution Control Board, Bhopal for early follow up action pl.
- 2. Dr. Reeta Kori, Chief Scientific Officer / Shri H.S. Malviya, Suptt. Engineer, M.P. Pollution Control Board, Bhopal for information and necessary follow up action.

(A.A. Mishra) **Member Secretary**