



Madhya Pradesh Pollution Control Board

Environment Surveillance Centre

Paryawaran Parisar, E-5, Arera Colony, Bhopal -462016 (M.P.)

Tel : 0755-2469180; E.mail : ercmppcb@nic.in; Web : www.erc.mp.gov.in



No. **B3** /HOPCB/ERC/2025

Bhopal, Dt: **28/05/2025**

To,

Shri Vineet Jain

Director, M/s ACOEM Ecotech Industries Pvt. Ltd.

1965, Alembic City Avenue, BIDD Gorwa Estate

Gorwa, Vadodara, Gujarat - 390003

Sub : Breach of Contractual Obligations.

- Ref. : 1. This office letter No. 78/HOPCB/ERC dated 25.03.2025.
2. Your letter no. AEIPL/MPPCB/NMT/100425, dated 10.04.2025.

While this office has gone through the reply submitted by your firm, it is reiterated that the shortcomings brought to your notice vide referred letter (1) are still persisting. This is unlike services being rendered by other vendors to the MPPCB. Your attention is drawn again to the following gaps for speedy resolution of issues without losing further time :

1. The para 1 of Scope of Work of tender document clearly states that the true/validated data from all the desired locations shall be transmitted to the central server at MPPCB. Contrary to this the noise data is not transmitting on MPPCB's server. The MPPCB is totally dependent on your server for both live and historical data which defies the terms stated in the tender document.
2. As per work order condition the noise data must be shared with MPPCB which includes not just display level access but complete data availability and control over it at MPPCB end.
3. The API shared by your firm facilitates only data display and does not provide access to the underlying data storage or full dataset required for Audit and other compliance tracking. It is pity situation that whenever your system/server faces downtime, the MPPCB loses access to both realtime as well as historic data which affects accountability and regulatory operations.

Owing to above stated serious flaws, your existing system design and implementation fall short of fulfilling the contractual obligations. You are hereby given another opportunity to look into the matter and take immediate corrective measures to resolve the stated gaps for smooth and hassle free operation of noise monitoring network. This office expect streamlining the above stated issues within 15 days time from the issue of this letter, failing to that the MPPCB shall be compelled to initiate appropriate action against the firm.


(A.A. Mishra)
Member Secretary

o/c.

Endt. No. 84 /HOPCB/ERC/2025

Bhopal, Dt. 28 /05/2025

Copy to:-

1. The Executive Authority, M/s ACOEM Ecotech Industries Pvt. Ltd., Plot No. 57, Sector - 2, Pithampur, Dist. Dhar – 454775 (M.P.)
2. The Incharge, Law section, - M.P. Pollution Control Board, Bhopal for favour of information.


(A.A. Mishra)
Member Secretary

o/c.