

Madhya Pradesh Pollution Control Board

Emergency Response Centre

Paryawaran Parisar, E-5, Arera Colony, Bhopal -462 016 (M.P.)

Ph : 0755-2469180 Fax : 0755-2463742 E-mail : ercmppcb@nic.in, Web : www.erc.mp.gov.in

No. 78 /HOPCB/ERC/2018

Bhopal, Dt: 21 / 02 /2018

To,

Director / Head

M/s Environnement S.A.

D/163, TTC Industrial Area, M.I.D.C. Turbhe,

Navi Mumbai - 400 705 (M.S.)

Sub : Activation of facility for alert messages on exceedance of real-time monitoring norms.


As per directives of Central Pollution Control Board all the concerned industries have to install real-time monitoring systems (CEMS/CWQMS/CAAQMS/Flow meter) at their establishments under 'self monitoring of compliance' scheme and provide access to the regulatory authorities to keep a vigil on the pollution status through live data watch and alert messages.

As per information available with this office your firm has supplied real-time monitoring systems / providing technical support to industries in Madhya Pradesh but no facility for generation of SMS alerts and communication of the same to the M.P. Pollution Control Board (MPPCB) has been provided till date in the event of exceedance of prescribed pollution norms for any given parameter.

In view of above you are asked to go in line with the directives of Central Pollution Control Board (CPCB) to meet the requirement of MPPCB failing which the matter shall be brought to the notice of CPCB for onward action.

An early response and cooperation in the matter is awaited for the better cause of environment. Communication in this regard can be made on ercmppcb@nic.in.

With best wishes,


(A.A. Mishra)
Member Secretary

No. HOPCB/ERC/2018

Bhopal, Dt: / / 2018

Copy to :

The Head, IT Division, Central Pollution Control Board, East Arjun Nagar, Shahdara, Delhi for information please.


(V.K. Ahirwar)
Director, Environment

Madhya Pradesh Pollution Control Board

Emergency Response Centre

Paryawaran Parisar, E-5, Arera Colony, Bhopal -462 016 (M.P.)

Ph : 0755-2469180 Fax : 0755-2463742 E-mail : ercmppcb@nic.in, Web : www.erc.mp.gov.in

No. 78 /HOPCB/ERC/2018

Bhopal, Dt: 21 / 02 /2018

To,

The Director / Head

M/s Nevco Engineers Pvt. Limited

90-A, 2nd Floor, Amritpuri - B,

Main Road, East Of Kailash, Opposite Iskcon Temple,

New Delhi, Delhi 110065

Sub : Activation of facility for alert messages on exceedance of real-time monitoring norms.

As per directives of Central Pollution Control Board all the concerned industries have to install real-time monitoring systems (CEMS/CWQMS/CAAQMS/Flow meter) at their establishments under 'self monitoring of compliance' scheme and provide access to the regulatory authorities to keep a vigil on the pollution status through live data watch and alert messages.

As per information available with this office your firm has supplied real-time monitoring systems / providing technical support to industries in Madhya Pradesh but no facility for generation of SMS alerts and communication of the same to the M.P. Pollution Control Board (MPPCB) has been provided till date in the event of exceedance of prescribed pollution norms for any given parameter.

In view of above you are asked to go in line with the directives of Central Pollution Control Board (CPCB) to meet the requirement of MPPCB failing which the matter shall be brought to the notice of CPCB for onward action.

An early response and cooperation in the matter is awaited for the better cause of environment. Communication in this regard can be made on ercmppcb@nic.in.

With best wishes,

(A.A. Mishra)

Member Secretary

No. HOPCB/ERC/2018

Bhopal, Dt: / / 2018

Copy to :

The Head, IT Division, Central Pollution Control Board, East Arjun Nagar, Shahdara, Delhi for information please.

(V.K. Ahirwar)

Director, Environment

Madhya Pradesh Pollution Control Board

Emergency Response Centre

Paryawaran Parisar, E-5, Arera Colony, Bhopal -462 016 (M.P.)

Ph : 0755-2469180 Fax : 0755-2463742 E-mail : ercmppcb@nic.in, Web : www.erc.mp.gov.in

No. 78 /HOPCB/ERC/2018

Bhopal, Dt: 21 / 02 /2018

To,

The Director

Knowledge Lens Pvt. Ltd

3rd Floor, Plot No 261, 2nd Cross Neeladri Nagar,

Electronic City Phase 1 – Bengaluru – 560100

Sub : Activation of facility for alert messages on exceedance of real-time monitoring norms.

As per directives of Central Pollution Control Board all the concerned industries have to install real-time monitoring systems (CEMS/CWQMS/CAAQMS/Flow meter) at their establishments under 'self monitoring of compliance' scheme and provide access to the regulatory authorities to keep a vigil on the pollution status through live data watch and alert messages.

As per information available with this office your firm has supplied real-time monitoring systems / providing technical support to industries in Madhya Pradesh but no facility for generation of SMS alerts and communication of the same to the M.P. Pollution Control Board (MPPCB) has been provided till date in the event of exceedance of prescribed pollution norms for any given parameter.

In view of above you are asked to go in line with the directives of Central Pollution Control Board (CPCB) to meet the requirement of MPPCB failing which the matter shall be brought to the notice of CPCB for onward action.

An early response and cooperation in the matter is awaited for the better cause of environment. Communication in this regard can be made on ercmppcb@nic.in.

With best wishes,


(A.A. Mishra)
Member Secretary

No. HOPCB/ERC/2018

Bhopal, Dt: / / 2018

Copy to :

The Head, IT Division, Central Pollution Control Board, East Arjun Nagar, Shahdara, Delhi for information please.


(V.K. Ahirwar)
Director, Environment

Madhya Pradesh Pollution Control Board

Emergency Response Centre

Paryawaran Parisar, E-5, Arera Colony, Bhopal -462 016 (M.P.)

Ph : 0755-2469180 Fax : 0755-2463742 E-mail : ercmppcb@nic.in, Web : www.erc.mp.gov.in

No. 78 /HOPCB/ERC/2018

Bhopal, Dt: 21 / 02 /2018

To,

The Director

M/s Aaxix Nano Technologies Pvt. Ltd.

S.C.F - 78, 2nd floor,

Phase-II, S.A.S Nagar, Mohali

Punjab - 160 055 (India)

Sub : Activation of facility for alert messages on exceedance of real-time monitoring norms.


As per directives of Central Pollution Control Board all the concerned industries have to install real-time monitoring systems (CEMS/CWQMS/CAAQMS/Flow meter) at their establishments under 'self monitoring of compliance' scheme and provide access to the regulatory authorities to keep a vigil on the pollution status through live data watch and alert messages.

As per information available with this office your firm has supplied real-time monitoring systems / providing technical support to industries in Madhya Pradesh but no facility for generation of SMS alerts and communication of the same to the M.P. Pollution Control Board (MPPCB) has been provided till date in the event of exceedance of prescribed pollution norms for any given parameter.

In view of above you are asked to go in line with the directives of Central Pollution Control Board (CPCB) to meet the requirement of MPPCB failing which the matter shall be brought to the notice of CPCB for onward action.

An early response and cooperation in the matter is awaited for the better cause of environment. Communication in this regard can be made on ercmppcb@nic.in.

With best wishes,


(A.A. Mishra)
Member Secretary

No. HOPCB/ERC/2018

Bhopal, Dt: / / 2018

Copy to :

The Head, IT Division, Central Pollution Control Board, East Arjun Nagar, Shahdara, Delhi for information please.


(V.K. Ahirwar)
Director, Environment

Madhya Pradesh Pollution Control Board

Emergency Response Centre

Paryawaran Parisar, E-5, Arera Colony, Bhopal -462 016 (M.P.)

Ph : 0755-2469180 Fax : 0755-2463742 E-mail : ercmppcb@nic.in, Web : www.erc.mp.gov.in

No. **78** /HOPCB/ERC/2018

Bhopal, Dt: **21** / 02 /2018

To,

The Director

M/s. Chemtrols Industries Pvt. Ltd.,

Amar Hill, Saki Vihar Road

Powai, Mumbai – 400072

Sub : Activation of facility for alert messages on exceedance of real-time monitoring norms.

As per directives of Central Pollution Control Board all the concerned industries have to install real-time monitoring systems (CEMS/CWQMS/CAAQMS/Flow meter) at their establishments under 'self monitoring of compliance' scheme and provide access to the regulatory authorities to keep a vigil on the pollution status through live data watch and alert messages.

As per information available with this office your firm has supplied real-time monitoring systems / providing technical support to industries in Madhya Pradesh but no facility for generation of SMS alerts and communication of the same to the M.P. Pollution Control Board (MPPCB) has been provided till date in the event of exceedance of prescribed pollution norms for any given parameter.

In view of above you are asked to go in line with the directives of Central Pollution Control Board (CPCB) to meet the requirement of MPPCB failing which the matter shall be brought to the notice of CPCB for onward action.

An early response and cooperation in the matter is awaited for the better cause of environment. Communication in this regard can be made on ercmppcb@nic.in.

With best wishes,


(A.A. Mishra)
Member Secretary

No. HOPCB/ERC/2018

Bhopal, Dt: / / 2018

Copy to :

The Head, IT Division, Central Pollution Control Board, East Arjun Nagar, Shahdara, Delhi for information please.


(V.K. Ahirwar)
Director, Environment

Madhya Pradesh Pollution Control Board

Emergency Response Centre

Paryawaran Parisar, E-5, Arera Colony, Bhopal -462 016 (M.P.)

Ph : 0755-2469180 Fax : 0755-2463742 E-mail : ercmppcb@nic.in, Web : www.erc.mp.gov.in

No. 78 /HOPCB/ERC/2018

Bhopal, Dt: 21 / 02 /2018

To,

✓ The Director
Forbes Marshall Pvt. Ltd.
P B # 29, Mumbai-Pune Road
Kasarwadi, Pune - 411 034 (M.S.)

Sub : Activation of facility for alert messages on exceedance of real-time monitoring norms.


As per directives of Central Pollution Control Board all the concerned industries have to install real-time monitoring systems (CEMS/CWQMS/CAAQMS/Flow meter) at their establishments under 'self monitoring of compliance' scheme and provide access to the regulatory authorities to keep a vigil on the pollution status through live data watch and alert messages.

As per information available with this office your firm has supplied real-time monitoring systems / providing technical support to industries in Madhya Pradesh but no facility for generation of SMS alerts and communication of the same to the M.P. Pollution Control Board (MPPCB) has been provided till date in the event of exceedance of prescribed pollution norms for any given parameter.

In view of above you are asked to go in line with the directives of Central Pollution Control Board (CPCB) to meet the requirement of MPPCB failing which the matter shall be brought to the notice of CPCB for onward action.

An early response and cooperation in the matter is awaited for the better cause of environment. Communication in this regard can be made on ercmppcb@nic.in.

With best wishes,


(A.A. Mishra)
Member Secretary

No. HOPCB/ERC/2018

Bhopal, Dt: / / 2018

Copy to :

The Head, IT Division, Central Pollution Control Board, East Arjun Nagar, Shahdara, Delhi for information please.

✓
(V.K. Ahirwar)
Director, Environment

Madhya Pradesh Pollution Control Board

Emergency Response Centre

Paryawaran Parisar, E-5, Arera Colony, Bhopal -462 016 (M.P.)

Ph : 0755-2469180 Fax : 0755-2463742 E-mail : ercmppcb@nic.in, Web : www.erc.mp.gov.in

No. 78 /HOPCB/ERC/2018

Bhopal, Dt: 21 / 02 /2018

To,

The Director
M/s Applied Techno Products Pvt. Ltd.
303, Tower B, Millennium Plaza,
Sector 27, Gurgaon, Haryana

Sub : Activation of facility for alert messages on exceedance of real-time monitoring norms.


As per directives of Central Pollution Control Board all the concerned industries have to install real-time monitoring systems (CEMS/CWQMS/CAAQMS/Flow meter) at their establishments under 'self monitoring of compliance' scheme and provide access to the regulatory authorities to keep a vigil on the pollution status through live data watch and alert messages.

As per information available with this office your firm has supplied real-time monitoring systems / providing technical support to industries in Madhya Pradesh but no facility for generation of SMS alerts and communication of the same to the M.P. Pollution Control Board (MPPCB) has been provided till date in the event of exceedance of prescribed pollution norms for any given parameter.

In view of above you are asked to go in line with the directives of Central Pollution Control Board (CPCB) to meet the requirement of MPPCB failing which the matter shall be brought to the notice of CPCB for onward action.

An early response and cooperation in the matter is awaited for the better cause of environment. Communication in this regard can be made on ercmppcb@nic.in.

With best wishes,


(A.A. Mishra)
Member Secretary

No. HOPCB/ERC/2018

Bhopal, Dt: / / 2018

Copy to :

The Head, IT Division, Central Pollution Control Board, East Arjun Nagar, Shahdara, Delhi for information please.


(V.K. Ahirwar)
Director, Environment

Madhya Pradesh Pollution Control Board

Emergency Response Centre

Paryawaran Parisar, E-5, Arera Colony, Bhopal -462 016 (M.P.)

Ph : 0755-2469180 Fax : 0755-2463742 E-mail : ercmppcb@nic.in, Web : www.erc.mp.gov.in

No. 78 /HOPCB/ERC/2018

Bhopal, Dt: 21 / 02 /2018

To,

The Director
M/s Bhoomi Analysers
409, 4th Floor, Bldg. - Avior
Nirmal Galaxy Complex,
L.B.S. Road, Mulund (W)
Mumbai – 400080 (M.S.)

Sub : Activation of facility for alert messages on exceedance of real-time monitoring norms.

As per directives of Central Pollution Control Board all the concerned industries have to install real-time monitoring systems (CEMS/CWQMS/CAAQMS/Flow meter) at their establishments under 'self monitoring of compliance' scheme and provide access to the regulatory authorities to keep a vigil on the pollution status through live data watch and alert messages.

As per information available with this office your firm has supplied real-time monitoring systems / providing technical support to industries in Madhya Pradesh but no facility for generation of SMS alerts and communication of the same to the M.P. Pollution Control Board (MPPCB) has been provided till date in the event of exceedance of prescribed pollution norms for any given parameter.

In view of above you are asked to go in line with the directives of Central Pollution Control Board (CPCB) to meet the requirement of MPPCB failing which the matter shall be brought to the notice of CPCB for onward action.

An early response and cooperation in the matter is awaited for the better cause of environment. Communication in this regard can be made on ercmppcb@nic.in.

With best wishes,



(A.A. Mishra)

Member Secretary

No. HOPCB/ERC/2018

Bhopal, Dt: / /2018

Copy to :

The Head, IT Division, Central Pollution Control Board, East Arjun Nagar, Shahdara, Delhi for information please.

(V.K. Ahirwar)
Director, Environment

Madhya Pradesh Pollution Control Board

Emergency Response Centre

Paryawaran Parisar, E-5, Arera Colony, Bhopal -462 016 (M.P.)

Ph : 0755-2469180 Fax : 0755-2463742 E-mail : ercmppcb@nic.in, Web : www.erc.mp.gov.in

No. 78 /HOPCB/ERC/2018

Bhopal, Dt: 21 / 02 /2018

To,

✓ The Director

M/s Volant Analytics

Shop No. 201, 3rd Floor, Raj Arcade,

Opp. Siddhi Residency, near Galaxy Circle,

Surat, Gujarat - 395009

Sub : Activation of facility for alert messages on exceedance of real-time monitoring norms.


As per directives of Central Pollution Control Board all the concerned industries have to install real-time monitoring systems (CEMS/CWQMS/CAAQMS/Flow meter) at their establishments under 'self monitoring of compliance' scheme and provide access to the regulatory authorities to keep a vigil on the pollution status through live data watch and alert messages.

As per information available with this office your firm has supplied real-time monitoring systems / providing technical support to industries in Madhya Pradesh but no facility for generation of SMS alerts and communication of the same to the M.P. Pollution Control Board (MPPCB) has been provided till date in the event of exceedance of prescribed pollution norms for any given parameter.

In view of above you are asked to go in line with the directives of Central Pollution Control Board (CPCB) to meet the requirement of MPPCB failing which the matter shall be brought to the notice of CPCB for onward action.

An early response and cooperation in the matter is awaited for the better cause of environment. Communication in this regard can be made on ercmppcb@nic.in.

With best wishes,


(A.A. Mishra)
Member Secretary

No. HOPCB/ERC/2018

Bhopal, Dt: / / 2018

Copy to :

The Head, IT Division, Central Pollution Control Board, East Arjun Nagar, Shahdara, Delhi for information please.


(V.K. Ahirwar)
Director, Environment